

Certificate of Conformity of Factory Production Control

This certificate is issued to:

Manufacturer: Hunan Valin Lianyuan Iron & Steel Co., Ltd.
Huang Ni Tang, Loudi County, Hunan Province,
People's Republic of China

In compliance with *Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011* (the Construction Products Regulation or CPR), this certificate applies to the construction product:

Hot Rolled Product of Structural Steel

This certificate attests that all provisions concerning the assessment and verification of constancy of performance and the performances described in Annex ZA of the standard(s)


**EN10025-1:2004 Hot Rolled Products of Structural Steels
– General Technical Delivery Condition**

under system 2+ are applied and that the factory production controls fulfil all the prescribed requirements set out above.

The attached Schedule, of the same date, details the manufacturing location(s), harmonised product standard and product parameters and shall form a part of this certificate.

This Certificate will remain valid as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manufacturing conditions in the plant are not modified significantly.

Certificate No: 2814/CPR/0038/CPR/SHA/6047488/A
Original Approval: 14 January 2017
Current Certificate: 2 March 2023
Expiry Date: 13 January 2026
LRQA Notified Body Number: 2814



Kevin Wu on behalf of LRQA Verification B.V.

Certificate of Conformity of Factory Production Control No:
2814/CPR/0038/CPR/SHA/6047488/A Schedule

Manufacturer: Hunan Valin Lianyuan Iron & Steel Co., Ltd.
Huang Ni Tang, Loudi County, Hunan Province,
People's Republic of China

Manufacturing Location and Products	Standard, Grade and Size
Huang Ni Tang, Loudi County, Hunan Province	
Hot Rolling strip mill 2250 Line Hot Rolling steel strip	EN10025-2:2019* S235JR, S355JR, S355J0, S355J2 Thickness range: 1.6 -25 mm
	EN10025-4:2019 S460M Thickness range: 3 -25 mm
	EN10025-6:2019 S620Q, S620QL, S690Q, S690QL, S890Q, S960Q, S960QL Thickness range: 3 -25 mm

Remarks & limitation: * Product delivery conditions cover AR

Schedule Issue: 02
Date of Schedule Issue: 2 March 2023
LRQA Notified Body Number 2814

Kevin Wu on behalf of LRQA Verification B.V.